

ADVANCED  
CROSSABILITY  
AND VERSATILITY  
TO TREAT ROUTINE,  
AND CHALLENGING  
CASES.



POWERFLEX™ PRO  
0.035" PTA DILATATION CATHETER



# POWERFLEX™ PRO

0.035" PTA Dilatation Catheter

## ACCESS

- Low Profile:
  - Wide array of 5F compatible sizes.
  - Excellent trackability and pushability to facilitate lesion access.
- Kink resistant shaft:
  - Facilitates pushability when encountering tortuosity.
  - Helps avoid procedure delays.

## ADVANCED CROSSABILITY

- MDX Silicone coated Distal (30cm) shaft and guidewire lumen to facilitate smooth delivery and wire handling.
- DURALYN™ Material combines flexibility and strength for improved crossability and dilation of long lesions.

## VERSATILITY

- Powerful balloon inflation with Rated Burst Pressures up to 18 ATM.
- DURALYN™ High Performance Balloon Material provides controlled compliance for predictable balloon sizing.
- Rapid inflation and deflation time to maximize procedural efficiency.
- Radiopaque markers facilitate placement of the POWERFLEX™ PRO PTA Catheter for effective dilatation.



### FEATURES

- Dual lumen shaft
- Atraumatic tip
- RBP up to 18 ATM
- Extended product range
- One piece hub
- Inner and outer (30cm distal) MDX coating

**POWERFLEX™ PRO** PTA Catheter is intended to dilate stenoses in iliac, femoral, ilio-femoral, popliteal, infra popliteal and renal arteries and for the treatment of obstructive lesions of native or synthetic arteriovenous dialysis fistulae. The device is also indicated for post-dilation of balloon expandable and self-expanding stents in the peripheral vasculature.

## ORDERING INFORMATION

Packaging: 1 unit/Box

Balloon Diameter (mm)	Balloon Length (mm)	Rated Burst Pressure (atm)	Sheath Fit (F)	Shaft Length (80cm)	Shaft Length (135cm)
3	100	18	5		4400310X
4	40	18	5	4400404S	4400404X
4	60	18	5		4400406X
4	80	18	5		4400408X
4	100	18	5		4400410X
4	120	18	5		4400412X
4	150	18	5		4400415X
5	20	15	5	4400502S	4400502X

# POWERFLEX™ PRO

## 0.035" PTA Dilatation Catheter

Balloon Diameter (mm)	Balloon Length (mm)	Rated Burst Pressure (atm)	Sheath Fit (F)	Shaft Length (80cm)	Shaft Length (135cm)
5	40	15	5	4400504S	4400504X
5	60	15	5	4400506S	4400506X
5	80	15	5	4400508S	4400508X
5	100	15	5	4400510S	4400510X
5	120	15	5		4400512X
5	150	15	5		4400515X
5	220	15	5		4400522X
6	20	15	5	4400602S	4400602X
6	40	15	5	4400604S	4400604X
6	60	15	5	4400606S	4400606X
6	80	15	5	4400608S	4400608X
6	100	15	5	4400610S	4400610X
6	120	15	5	4400612S	4400612X
6	150	15	5		4400615X
6	220	15	5		4400622X
7	20	15	5	4400702S	4400702X
7	40	15	5	4400704S	4400704X
7	60	12	5	4400706S	4400706X
7	80	12	5		4400708X
7	100	12	6		4400710X
8	20	12	5	4400802S	4400802X
8	40	12	5	4400804S	4400804X
8	60	12	5	4400806S	4400806X
8	80	12	5	4400808S	4400808X
8	100	12	5		4400810X
9	40	12	6	4400904S	4400904X
10	20	12	6	4401002S	4401002X
10	40	12	6	4401004S	4401004X
10	60	12	7		4401006X
10	80	12	7		4401008X
12	20	8	7	4401202S	4401202X
12	40	8	7	4401204S	4401204X
12	60	8	7		4401206X

For Healthcare Professionals Only.

Important information: Prior to use, refer to the instructions for use supplied with this device for indications, contraindications, suggested procedure, warnings and precautions. As part of its continuous product development policy, Cordis reserves the right to change product specifications without prior notification.

Please contact your Cordis representative for additional product availability information.

CORDIS, Cordis LOGO, DURALYN and POWERFLEX are trademarks of Cordis and may be registered in the US and/or in other countries.

© 2025 Cordis. All Rights Reserved. 100567917-3 03/2025

