

Thin-walled sheath designed for consistent performance during tibial pedal access



## PROPRIETARY KINK RECOVERY TECHNOLOGY

Elastometric properties allow the RAIN Sheath® Introducer to bend and flex to maintain lumen integrity.



#### IN-VESSEL STABILITY

1 cm non-slip secure zone at proximal end of sheath designed to secure placement after insertion.



# HEXACUSPID HEMOSTASIS VALVE

Designed to preserve hemostasis and reduce risk of bleedback.




### LUBRICIOUS HYDROPHILIC


Facilitates smoother, easier insertion and removal.

**Cordis** 

# RAIN Sheath®







Smooth, tapered transition from dilator to sheath for increased patient comfort.



Hexacuspid hemostasis valve is designed to optimize device control while preserving hemostasis.

#### RAIN Sheath® Introducer for Tibial Pedal Procedures

SHEATH SIZE	CANNULA LENGTH	MINI-WIRE	MINI-WIRE COMPATABILITY	NEEDLE	PRODUCT CODE
4F	10 cm	Bare Stainless Steel	0.021"x 45 cm	21G Bare Needle	TP506410S
		Bare Nitinol	0.021"x 43 cm	21G Bare Needle	TP506410N
	10 cm	Bare Stainless Steel	0.021"x 45 cm	21G Bare Needle	TP506510S
5F		Bare Nitinol	0.021"x 43 cm	21G Bare Needle	TP506510N

#### Also Available: RAIN Sheath® Introducer for Transradial Procedures

HEATH SIZE	CANNULA LENGTH	MINI-WIRE	MINI-WIRE COMPATABILITY	NEEDLE	PRODUCT CODE	SHEATH SIZE	CANN LENG
4F	10 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506410P20G	6F <b>-</b>	10 cm
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506410S		
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506410P22G		
		Bare Nitinol	0.021" x 43 cm	22G Bare	506410N		
	16 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506416P20G		16 cm
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506416S		
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506416P22G		
		Bare Nitinol	0.021" x 43 cm	22G Bare	506416N		
5F	10 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506510P20G		10 cm
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506510S		
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506510P22G		
		Bare Nitinol	0.021" x 43 cm	22G Bare	506510N	7F	
	16 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506516P20G		16 cm
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506516S		
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506516P22G		
		Bare Nitinol	0.021" x 43 cm	22G Bare	506516N		

SHEATH SIZE	CANNULA LENGTH	MINI-WIRE	MINI-WIRE COMPATABILITY	NEEDLE	PRODUCT CODE
	10 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506610P20G
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506610S
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506610P22G
6F		Bare Nitinol	0.021" x 43 cm	22G Bare	506610N
OF	16 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506616P20G
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506616S
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506616P22G
		Bare Nitinol	0.021" x 43 cm	22G Bare	506616N
	10 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506710P20G
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506710S
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506710P22G
7F		Bare Nitinol	0.021" x 43 cm	22G Bare	506710N
71	16 cm	Polymer Angled-Tip	0.021" x 45 cm	20G IV Catheter	506716P20G
		Bare Stainless Steel	0.021" x 45 cm	21G Bare	506716S
		Polymer Angled-Tip	0.021" x 45 cm	22G IV Catheter	506716P22G
		Bare Nitinol	0.021" x 43 cm	22G Bare	506716N

